

Package: r2country (via r-universe)

August 31, 2024

Type Package

Title Country Data with Names, Capitals, Currencies, Populations,
Time, Languages and so on

Version 2.0.2.3.1

Maintainer Obinna Obianom <idonshayo@gmail.com>

Description Obtain information about countries around the globe.
Information for names, states, languages, time, capitals,
currency and many more. Data source are 'Wikipedia'
<<https://www.wikipedia.org>>, 'TimeAndDate'
<<https://www.timeanddate.com>> and 'CountryCode'
<<https://countrycode.org>>.

License MIT + file LICENSE

URL <https://r2country.obi.obianom.com>

BugReports <https://github.com/oobianom/r2country>

Depends R (>= 3.6)

Imports utils, stats, quickcode

Suggests rmarkdown, knitr, qpdf, testthat

Encoding UTF-8

VignetteBuilder knitr

Language en-US

RoxygenNote 7.2.3

LazyData true

Config/testthat/edition 3

Repository <https://oobianom.r-universe.dev>

RemoteUrl <https://github.com/oobianom/r2country>

RemoteRef HEAD

RemoteSha 85103e04c4a8d13d81d3bbc0e9a7c3889b2da136

Contents

byContinent	2
callingCodeOf	3
capitalOf	4
city_time	5
continentOf	6
COUNTRIES	6
countries	7
countryEndsWith	8
countryHas	9
countryStartsWith	10
country_calling_code	11
country_capital	12
country_continent	13
country_language	14
country_money	15
country_names	16
country_population	17
currencyOf	18
languageEndsWith	19
languageHas	20
languageOf	21
languageStartsWith	22
populationOf	23
timeIn	24
Index	25

byContinent	<i>Fetch countries by continent</i>
-------------	-------------------------------------

Description

Obtain country data matching language first one or more letters

Usage

```
byContinent(
  name = c("asia", "europe", "africa", "north america", "south america", "oceania"),
  full.list = TRUE
)
```

Arguments

name	name of continent
full.list	whether to return only name of country or full list

Details

Note that choices for names of continent includes 'asia','europe','africa','north america','south america','oceania'

Value

country data list matching continent

Examples

```
# task 1: get only names of countries that contains with "africa" or "AFrica"
# note that the search in case-insensitive
byContinent("africa", full.list = FALSE)

# task 2: get only names of countries that contains with "ASIA" or "asia"
byContinent("asia", full.list = FALSE)

# task 3: repeat task 2, but return full list for each country
byContinent("europe", full.list = TRUE)
```

callingCodeOf

Fetch the calling code of a country

Description

With specified country name or names, get the associated calling code

Usage

```
callingCodeOf
```

Format

An object of class list of length 193.

Value

a list containing all countries and their corresponding calling code

Examples

```
# view the searchable countries, return first 6
head(names(callingCodeOf))

#task 0: check if the calling code of japan is included
#should be all in lower case
grep("japan",names(callingCodeOf), value = TRUE)
```

```
#task 1: check the calling code of nigeria
callingCodeOf$nigeria

#task 2: check the calling code of united states
callingCodeOf$`united states`

#task 3: check calling code of multiple countries
callingCodeOf[c("slovenia","romania","malaysia")]

#task 4: what if the calling code is not available
callingCodeOf[c("randomcountry","mexico","luxembourg")]
```

capitalOf

Fetch the latest capital of a country

Description

With specified country name or names, get the associated capital

Usage

```
capitalOf
```

Format

An object of class list of length 193.

Value

a list containing all countries and their corresponding capital

Examples

```
# view the searchable countries, return first 6
head(names(capitalOf))

#task 0: check if the capital of japan is included
#should be all in lower case
grep("japan",names(capitalOf), value = TRUE)

#task 1: check the capital of nigeria
capitalOf$nigeria

#task 2: check the capital of united states
capitalOf$`united states`

#task 3: check capital of multiple countries
```

```
capitalOf[c("slovenia", "romania", "malaysia")]  
  
#task 4: what if the capital is not available  
capitalOf[c("randomcountry", "mexico", "luxembourg")]
```

city_time

Dataset of current time in Cities

Description

Dataset containing time different in various cities with respect to USA/New York time

Usage

```
data(city_time)
```

Format

A data frame with the current time in various cities

City Names of cities

Timediff Time difference relative to New York time

Value

cities and the current time relative to New York

Source

Internal data consisting of cities and their corresponding time

References

<https://www.timeanddate.com>

Examples

```
# load the cities and languages dataset  
data(city_time)  
  
# view content of the city-language data  
head(city_time)
```

continentOf	<i>Fetch the continent of a country</i>
-------------	---

Description

Get the continent that a particular country belongs to

Usage

```
continentOf
```

Format

An object of class list of length 193.

Value

a list containing all countries and corresponding continents

Examples

```
# view the searchable countries, return first 15
names(continentOf)[1:15]

#task 1: view the continent of algeria
continentOf$algeria

#task 2: view the continent of nigeria
continentOf$nigeria

#task 3: view the continent of multiple countries
continentOf[c("niger", "china", "colombia")]

#task 4: if the continent is not available
continentOf[c("niger", "china", "randomtest")]
```

COUNTRIES	<i>Names of all countries in upper case</i>
-----------	---

Description

Fetch the names of all countries in upper case

Usage

```
COUNTRIES
```

Format

An object of class character of length 193.

Value

Names of all countries in the globe in upper case

Examples

```
# list all the countries
COUNTRIES

# list only 5 countries
COUNTRIES[1:5]

# create a dataset with all countries of the world
data.frame(ID = 1, Names = COUNTRIES)
```

countries	<i>Names of all countries</i>
-----------	-------------------------------

Description

Fetch the names of all countries

Usage

```
countries
```

Format

An object of class character of length 193.

Value

Names of all countries in the globe

Examples

```
# list all the countries
countries

# list only 5 countries
countries[1:5]

# create a dataset with all countries of the world
data.frame(ID = quickcode::number(length(countries)), Names = countries)
```

countryEndsWith *Fetch countries that ends with specified characters*

Description

Subset and return countries given a specified characters to search

Usage

```
countryEndsWith(char, full.list = TRUE)
```

Arguments

char	character to search for
full.list	whether to return only name of country or full list

Value

country data list matching a specified character

See Also

[countryStartsWith()] for country search starting with specified characters, and [countryHas()] for countries that contain specified characters.

Examples

```
# task 1: get only names of countries that end with "A" or "a"  
# note that the search is case-insensitive  
countryEndsWith("A", full.list = FALSE)  
  
# task 2: get only names of countries that end with "No" or "no"  
countryEndsWith("no", full.list = FALSE)  
  
# task 3: repeat task 2, but return full list for each country  
countryEndsWith("no")
```

countryHas	<i>Fetch countries that contains with specified characters</i>
------------	--

Description

Subset to obtain data for countries containing specified characters to search

Usage

```
countryHas(char, full.list = TRUE)
```

Arguments

char	character to search for
full.list	whether to return only name of country or full list

Value

country data list matching content from a specified character

See Also

[countryStartsWith](#) for country search starting with specified characters, and [countryEndsWith\(\)](#) for countries that end with a specified characters.

Examples

```
# task 1: get only names of countries that contains with "ER" or "er"
# note that the search in case-insensitive
countryHas("er", full.list = FALSE)

# task 2: get only names of countries that contains with "LAND" or "land" or "Land"
countryHas("LAND", full.list = FALSE)

# task 3: repeat task 2, but return full list for each country
countryHas("many", full.list = TRUE)
```

countryStartsWith *Fetch countries that start with specified characters*

Description

Subset and return countries given a specified characters to search

Usage

```
countryStartsWith(char, full.list = TRUE)
```

Arguments

char	character to search for
full.list	whether to return only name of country or full list

Value

country data list matching a specified character

See Also

[countryEndsWith()] for country search ending in specified character, and [countryHas()] for countries that contain specified characters.

Examples

```
# task 1: get only names of countries that start with "A" or "a"  
# note that the search is case-insensitive  
countryStartsWith("A", full.list = FALSE)  
  
# task 2: get only names of countries that start with "No" or "no"  
countryStartsWith("no", full.list = FALSE)  
  
# task 3: repeat task 2, but return full list for each country  
countryStartsWith("no")
```

country_calling_code *Dataset of countries and their calling code*

Description

Dataset containing country IDs and their calling code

Usage

```
data(country_calling_code)
```

Format

A data frame with the calling code of countries

ID country identifiers

callingcode Calling code of countries

Value

calling code of countries

Source

Internal data consisting of countries and their calling code

References

<https://countrycode.org>

See Also

Data [country_names](#) for linkage of IDs with country calling code

Examples

```
# load the calling code dataset
data(country_calling_code)

# view content of the city-calling code data
head(country_calling_code)
```

country_capital *Dataset of countries and their capitals*

Description

Dataset containing country IDs and their capitals

Usage

```
data(country_capital)
```

Format

A data frame with the capitals that countries belong to

ID country identifiers

capital capitals of various country

Value

corresponding capitals of countries

Source

Internal data consisting of countries and their capital

References

<https://www.wikipedia.org>

See Also

Data [country_names](#) for linkage of IDs with capital

Examples

```
# load the capitals dataset
data(country_capital)
data(country_names)
finaldb <- cbind(country_names, country_capital)

# view content of the country and population
head(finaldb)
```

country_continent *Dataset of countries and their continents*

Description

Dataset containing country IDs and their continents

Usage

```
data(country_continent)
```

Format

A data frame with the continents that countries belong to

ID country identifiers

continent continents of various country

Value

corresponding continents of countries

Source

Internal data consisting of countries and their continent

References

<https://www.wikipedia.org>

See Also

Data [country_names](#) for linkage of IDs with continent

Examples

```
# load the continent dataset
data(country_continent)
data(country_names)
finaldb <- cbind(country_names, country_continent)

# view content of the country and population
head(finaldb)
```

country_language *Dataset of country official languages*

Description

Data for all countries and their associated languages

Usage

```
data(country_language)
```

Format

A data frame with the languages of countries

ID Identifier for the countries

officiallanguage official languages of countries

Value

country ID and official languages

Source

Internal data consisting of all country IDs and their official languages

References

<https://www.wikipedia.org>

See Also

Data [country_names](#) for linkage of IDs with country names

Examples

```
# load the country ID and languages
data(country_language)

# view content of the countries languages
head(country_language)
```

country_money

Dataset for Country Currencies

Description

Data for all country currency names and symbols

Usage

```
data(country_money)
```

Format

A data frame with all countries and columns for currency

ID Identifier for countries

currency name of the currency

symbol symbol of the currency

isocode The ISO code of the currency

fractionalunity The fractional unit of the currency

Value

data for currencies by country

Source

Internal data for currencies belonging to every country

References

<https://www.wikipedia.org>

See Also

[country_names](#) for linkage of IDs with country names

Examples

```
data(country_money)

# view content of the countries currency
head(country_money)
```

country_names	<i>Dataset of country names</i>
---------------	---------------------------------

Description

Data for all country currency names and associated ID

Usage

```
data(country_names)
```

Format

A data frame with the names of all countries

ID Identifier for the countries

name name of the countries

Value

data for names of country

Source

Internal data consisting of all country names

References

<https://www.wikipedia.org>

Examples

```
# load the country names
data(country_names)

# view content of the countries currency
head(country_names)
```

country_population *Dataset of countries and their latest population*

Description

Dataset containing country IDs and their population by year

Usage

```
data(country_population)
```

Format

A data frame with the population of countries

ID country identifiers

population2023 country population as of 2023

Value

corresponding population size of countries

Source

Internal data consisting of countries and their population

References

<https://www.wikipedia.org>

See Also

Data [country_names](#) for linkage of IDs with country population size

Examples

```
# load the population dataset
data(country_population)
data(country_names)
finaldb <- cbind(country_names, country_population)

# view content of the country and population
head(finaldb)
```

`currencyOf`*Fetch the currency of a country*

Description

With specified country name or names, get the associated currency

Usage`currencyOf`**Format**

An object of class `list` of length 193.

Value

a list containing all countries and their corresponding currency

Examples

```
# view the searchable countries, return first 6
head(names(currencyOf))

#task 0: check if the currency of spain is included
#should be all in lower case
grep("spain",names(currencyOf), value = TRUE)

#task 1: check the currency of spain
currencyOf$spain

#task 2: check the currency of singapore list
currencyOf$singapore # return a list of singapore
currencyOf$singapore['symbol'] #returns the symbol
currencyOf$singapore['isocode'] #returns the iso code
currencyOf$singapore['fractionalunity'] #returns the fractional unit

#task 3: check currencies of multiple countries
currencyOf[c("slovenia","romania","malaysia")]

#task 4: what if the currency is not available
currencyOf[c("randomcountry","mexico","luxembourg")]
```

languageEndsWith	<i>Fetch countries data with official language ending in specified character</i>
------------------	--

Description

Obtain country data matching language first one or more letters

Usage

```
languageEndsWith(char, full.list = TRUE)
```

Arguments

char	character to search in languages
full.list	whether to return only name of country or full list

Value

language list or country data list matching parts of a character search on languages

See Also

[countryStartsWith](#) for country search starting with specified characters, and `[countryEndsWith()]` for countries that end with a specified characters.

Examples

```
# task 1: get only language names that ends with "EN" or "en"
# note that the search is case-insensitive
languageEndsWith("eN", full.list = FALSE)

# task 2: get only language names that ends with "chi"
languageEndsWith("chi", full.list = FALSE)

# task 3: repeat task 2, but return full list for each country with the language
languageEndsWith("sin", full.list = TRUE)

# searching text with no results
languageEndsWith("er", full.list = FALSE)
```

languageHas	<i>Fetch countries data based on official language prefix</i>
-------------	---

Description

Obtain country data matching language first one or more letters

Usage

```
languageHas(char, full.list = TRUE)
```

Arguments

char	character to search for
full.list	whether to return only name of country or full list

Value

country data list matching content from a specified character

See Also

[countryStartsWith](#) for country search starting with specified characters, and [\[countryEndsWith\(\)\]](#) for countries that end with a specified characters.

Examples

```
# task 1: get only names of countries that contains with "ER" or "er"
# note that the search in case-insensitive
countryHas("er", full.list = FALSE)

# task 2: get only names of countries that contains with "LAND" or "land" or "Land"
countryHas("land", full.list = FALSE)

# task 3: repeat task 2, but return full list for each country
countryHas("many", full.list = TRUE)
```

languageOf	<i>Fetch the official language of a country</i>
------------	---

Description

With specified country name or names, get the associated official language(s)

Usage

```
languageOf
```

Format

An object of class list of length 193.

Value

a list containing all countries and their corresponding language

Examples

```
# view the searchable countries, return first 6
head(names(languageOf))

#task 0: check if the language of japan is included
#should be all in lower case
grep("japan",names(languageOf), value = TRUE)

#task 1: check the language of nigeria
languageOf$nigeria

#task 2: check the language of united states
languageOf$`united states`

#task 3: check language of multiple countries
languageOf[c("slovenia","romania","malaysia")]

#task 4: what if the language is not available
languageOf[c("randomcountry","mexico","luxembourg")]
```

languageStartsWith *Fetch countries data based on official language prefix*

Description

Obtain country data matching language first one or more letters

Usage

```
languageStartsWith(char, full.list = TRUE)
```

Arguments

char	character to search in languages
full.list	whether to return only name of country or full list

Value

language list or country data list matching parts of a character search on languages

See Also

[countryStartsWith](#) for country search starting with specified characters, and [\[countryEndsWith\(\)\]](#) for countries that end with a specified characters.

Examples

```
# task 1: get only language names that ends with "EN" or "en"
# note that the search in case-insensitive
languageStartsWith("eN", full.list = FALSE)

# task 2: get only language names that ends with "chi"
languageStartsWith("chi", full.list = FALSE)

# task 3: repeat task 2, but return full list for each country with the language
languageStartsWith("sin", full.list = TRUE)

# searching text with no results
languageStartsWith("er", full.list = FALSE)
```

populationOf	<i>Fetch the latest population count of a country</i>
--------------	---

Description

With specified country name or names, get the associated population

Usage

```
populationOf
```

Format

An object of class list of length 193.

Value

a list containing all countries and their corresponding population

Examples

```
# view the searchable countries, return first 6  
head(names(populationOf))
```

```
#task 0: check if the population of japan is included  
#should be all in lower case  
grep("japan",names(populationOf), value = TRUE)
```

```
#task 1: check the population of nigeria  
populationOf$nigeria
```

```
#task 2: check the population of united states  
populationOf$`united states`
```

```
#task 3: check population of multiple countries  
populationOf[c("slovenia","romania","malaysia")]
```

```
#task 4: what if the population is not available  
populationOf[c("randomcountry","mexico","luxembourg")]
```

timeIn	<i>Fetch the current time in a specific city</i>
--------	--

Description

Get the current time using specified city name

Usage

```
timeIn
```

Format

An object of class list of length 2226.

Value

a list containing all cities and corresponding local time

Examples

```
# view the searchable cities, return first 10
names(timeIn)[1:10]

#task 0: check if the time in Delhi is present
#should be all in lower case
grep("delhi",names(timeIn), value = TRUE)

#task 1: check the time in delhi
timeIn$"india, delhi, new delhi"

#task 2: check the time in Boston
timeIn$"usa, massachusetts, boston"

#task 3: view the time in multiple countries
timeIn[c(
  "china, zhejiang, hangzhou",
  "nigeria, kano, kano",
  "usa, texas, garland"
)]

#task 4: what if the city is not available
timeIn[c("randomcity","york","jerusalem")]
```


Index

- * **country**
 - country_names, 16
- * **datasets**
 - callingCodeOf, 3
 - capitalOf, 4
 - city_time, 5
 - continentOf, 6
 - COUNTRIES, 6
 - countries, 7
 - country_calling_code, 11
 - country_capital, 12
 - country_continent, 13
 - country_language, 14
 - country_money, 15
 - country_population, 17
 - currencyOf, 18
 - languageOf, 21
 - populationOf, 23
 - timeIn, 24
- * **names**
 - country_names, 16

byContinent, 2

callingCodeOf, 3

capitalOf, 4

city_time, 5

continentOf, 6

COUNTRIES, 6

countries, 7

country_calling_code, 11

country_capital, 12

country_continent, 13

country_language, 14

country_money, 15

country_names, 11–15, 16, 17

country_population, 17

countryEndsWith, 8

countryHas, 9

countryStartsWith, 9, 10, 19, 20, 22

currencyOf, 18

languageEndsWith, 19

languageHas, 20

languageOf, 21

languageStartsWith, 22

populationOf, 23

timeIn, 24